TECHNICIAN PRACTICAL PERFORMANCE TEST IN SITU EXCISION

Aţ	oplicant's N	fame:					
Ex	ye Bank: kaminer's N lease print)						
To As Su	otal Points: septic Point argical Poir	Aseptic Techniques Range: 13 nts Range: 20	ueSurgical Technique				
<u>A</u> \$	SEPTI	C TECHN	<u>IQUE</u>				
1.		Appropriate dress (Was the technician wearing moisture impermeable clothing with sterile sleeves/sterile impermeable gown, cap, mask and protective eye wear?)					
	□1 □0	Acceptable Unacceptable	If unacceptable, describe:				
2.	Pen Li	ght Exam perform	ned				
	□1 □0	Acceptable Unacceptable	If unacceptable, describe:				
3.	Irrigati	on of cornea and	conjunctiva with sterile saline. (Remove debris, mucus, ointment, etc.)				
	□1 □0	Acceptable Unacceptable	If unacceptable, describe:				
4.	Decont	Decontamination of the cornea and conjunctiva with povidone-iodine solution.					
	□1 □0	Acceptable Unacceptable	If unacceptable, describe:	_			
5.	Surgica	al prep of eye lids	and surrounding area				
	□1 □0	Acceptable Unacceptable	If unacceptable, describe:				
6.	Wrapp	Wrapping of instruments (includes double-wrapped, single-wrapped and vis-peel bag)					
	□1 □0	Acceptable Unacceptable	If unacceptable, describe:				

7.	Insitu kit unwrapped so that the sterility of instruments and sterile field are not compromised.				
	□1 □0	Acceptable Unacceptable	If unacceptable, describe:		
8.	Placeme	ent of non-sterile i	tems and corneal storage solution around sterile field.		
	□1 □0	Acceptable Unacceptable	If unacceptable, describe:		
9.	Surgical hand antisepsis (via 3-5 minute scrub or EtOH-based surgical hand rub product) per AORN recommended practices and Eye Bank's SOP.				
	□1 □0	Acceptable Unacceptable	If unacceptable, describe:		
10.	Gloving	technique.			
	□1 □0	Acceptable Unacceptable	If unacceptable, describe:		
11.	Placement of instruments and drapes during procedure.				
	□1 □0	Acceptable Unacceptable	If unacceptable, describe:		
12.	Instruments used for conjunctival resection separated from those used for incision through sclera and corneoscleral disc removal.				
	□1 □0	Acceptable Unacceptable	If unacceptable, describe:		
13.	Transfer	r of corneoscleral	disc to vial or viewing chamber of storage solution.		
	□1 □0	Acceptable Unacceptable	If unacceptable, describe:		
<u>SUR</u>	<u>GIC</u>	AL TECH	NIQUE_		
1.	Conjunc	ctiva removal (360	0° periotomy) – Per Eye Bank's SOP		
	□1 □0 □0 □1	Not performed:	ompromised cornea, incomplete removal or contaminated the tissue SOP requires removal however technician did not perform as SOP does not require		
2.	Scraping of sclera with blade from limbus to 5mm out or greater – Per Eye Bank's SOP				
	□1 □0 □1	Acceptable Unacceptable N/A: Eye Bank'	If unacceptable, describe:s SOP does not require		

3.	Incisio	n through sclera with scalpel penetrating only to suprachoroidal space				
	□2 □0	Acceptable Unacceptable				
4.	Scissors technique (insertion and excision)					
	□2 □1 □0	Acceptable: even cut, scissors in suprachoroidal space Acceptable: slightly uneven, but scissors placed appropriately Unacceptable: many problems If many problems, describe:				
5.	Manual dexterity during excision					
	□2 □1 □0	Acceptable Acceptable: slight problems Unacceptable: many problems If many problems, describe:				
6.	Width of scleral rim, between 2-4 mm from limbus					
	□1 □0	Acceptable Unacceptable				
7.	Leakage of vitreous					
	□2 □1 □0	None Small amount of leakage Unacceptable amount				
8.	Anterior Chamber Maintained					
	□2 □0	Acceptable Unacceptable: anterior chamber collapsed				
9.	Ciliary body separation from scleral spur					
	□2 □0	Acceptable: grasp of rim throughout with no distortion of rim by excessive pulling - cornea may be <u>placed</u> down on globe to facilitate the removal				
10.		☐0 Unacceptable: peeled rim from choroid or <u>dropped</u> the cornea Rim separation technique, choroid removed from rim				
10.	□2	Acceptable: pushes choroid away from rim				
	□0	Unacceptable: peels rim away from choroid				
11.	Crystalline lens check					
	$\Box 1$ $\Box 0$	Acceptable Unacceptable				
12.	Question: Did the technician perform this procedure as described in the Eye Bank policies and procedures manual?					
	□1 □0	Yes No				

13.	Question: Did the technician explain deviations, if any, from the procedure as described in the Eye Bank policies and procedures manual?					
	□1 □0	Yes (or not applicable) No				
COMM	COMMENT SECTION:					